



Product Service

CERTIFICATE

No. Z1A 014229 0057 Rev. 00

Holder of Certificate: **Reutlinger GmbH**

REUTLINGER

Züricher Str. 3
60437 Frankfurt am Main
GERMANY

Certification Mark:



Product: **Cable holders**

Tested according to: PPP 52347C:2020

With this certificate, in its capacity as a notified GS body, TÜV SÜD Product Service GmbH issues the GS Mark to the named certificate holder for the declared product with the named model designation in accordance with section 20 ProdSG (German Product Safety Act). The product meets the safety and health requirements of section 20 (3) ProdSG. The manufacturer is reminded of their obligations in accordance with section 24 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 034-713309024-000

Valid until: 2028-10-19

Date, 2023-11-03

(Lutz Langguth)

CERTIFICATE

No. Z1A 014229 0057 Rev. 00

Model(s):

Type 0, Type 10, Type 12, Type 15, Type 15 - Alu,
Type 18 - Stainless steel, Type 18 - Alu, Type 18, Type 18S,
Type 20, Type 20S, Type 25, Type 30, Type 30S

Parameters:

Working load cable holders in kg, with steel cable 2300 N/mm²

Steel cable 2300 N/mm ²	Ø 0,81 mm	Ø 1,00 mm	Ø 1,20 mm	Ø 1,50 mm	Ø 1,80 mm	Ø 2,00 mm	Ø 2,50 mm	Ø 3,00 mm
Type 10	8	11						
Type 12	8	12	17					
Type 15		13	17	25				
Type 15 Alu		11	15	23				
Type 18 Alu		11	16	23	30			
Type 18 (3 Balls)		13	18	27	30			
Type 18S (6 Balls)		13	18	33	39			
Type 20 (3 Balls)		13	18	25	30	45		
Type 20S (6 Balls)		13	20	31	39	55		
Type 25				23	30	45	65	
Type 30 (3 Balls)						40	65	85
Type 30S (6 Balls)						50	75	105

Working load cable holders in kg, with steel cable black 1960 N/mm²

Steel cable black 1960 N/mm ²	Ø 0,81 mm	Ø 1,00 mm	Ø 1,20 mm	Ø 1,50 mm	Ø 1,80 mm	Ø 2,00 mm	Ø 2,50 mm	Ø 3,00 mm
Type 15 Alu		8	11	15				
Type 18 Alu		8	11	15	23			

CERTIFICATE

No. Z1A 014229 0057 Rev. 00

Working load cable holders in kg, with stainless steel cable 1570 N/mm²

Stainless steel cable 1570 N/mm²	Ø 0,45 mm	Ø 0,54 mm	Ø 0,63 mm	Ø 0,81 mm	Ø 1,00 mm	Ø 1,20 mm	Ø 1,50 mm	Ø 1,80 mm	Ø 2,00 mm	Ø 2,50 mm	Ø 3,00 mm
Type 0	1,5	2,5	3								
Type 10	1,5	2,5	3	6	8						
Type 12			3	6	8	12					
Type 15					8	15	20				
Type 15 Alu					6	9	15				
Type 18 Alu					6	9	15	23			
Type 18 Stainless steel					6	9	14	21			
Type 18 (3 Balls)					8	15	20	25			
Type 18S (6 Balls)					10	15	20	30			
Type 20 (3 Balls)					8	15	20	30	34		
Type 20S (6 Balls)					10	15	20	30	34		
Type 25							15	28	34	45	
Type 30 (3 Balls)									30	50	65
Type 30S (6 Balls)									40	60	85

For further technical data see Technical Report.

Note: only for static load!